L Number	Hits	Search Text	DB	Time stamp
1	227	514/229.2	USPAT;	2004/06/14 14:05
			US-PGPUB;	
			EPO; JPO;	1
			DERWENT;	
			IBM_TDB	
2	75	514/229.2 and (bayer or dutzmann or	USPAT;	2004/06/14 14:07
		stenzel or jautelat)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
3	15	Prothioconazole	USPAT;	2004/06/14 14:07
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	

 L_2

L6

L7

L8

(FILE 'HOME' ENTERED AT 13:49:16 ON 14 JUN 2004)

FILE 'REGISTRY' ENTERED AT 13:49:22 ON 14 JUN 2004

L1 SCREEN 1006

STRUCTURE UPLOADED

L3 QUE L2 AND L1

L4 95 SEA SSS FUL L2 AND L1

D 1-

FILE 'CAPLUS, USPATFULL' ENTERED AT 13:54:23 ON 14 JUN 2004

L5 87 SEA L4

87 DUP REM L5 (0 DUPLICATES REMOVED)

D 1-

FILE 'REGISTRY' ENTERED AT 13:54:51 ON 14 JUN 2004 D L4 95

FILE 'CAPLUS, USPATFULL' ENTERED AT 13:54:52 ON 14 JUN 2004

FILE 'REGISTRY' ENTERED AT 13:55:03 ON 14 JUN 2004 1 SEA 178928-70-6

FILE 'EMBASE, BIOSIS, EUROPATFULL, JAPIO, ADISCTI, ADISINSIGHT, ADISNEWS, BABS, BIOBUSINESS, BIOCOMMERCE, BIOTECHNO, CANCERLIT, CAPLUS, CBNB, CEN, CIN, CONFSCI, DISSABS, DGENE, DIOGENES, DRUGB, DRUGMONOG2, IMSDRUGNEWS, DRUGU, IMSRESEARCH, EMBAL, ESBIOBASE, ...' ENTERED AT 13:55:34 ON 14 JUN 2004

FILE 'REGISTRY' ENTERED AT 13:55:52 ON 14 JUN 2004

SET SMARTSELECT ON

SEL L7 1- CHEM : 2 TERMS

SET SMARTSELECT OFF


FILE 'EMBASE, BIOSIS, EUROPATFULL, JAPIO, ADISCTI, ADISINSIGHT, ADISNEWS, BABS, BIOBUSINESS, BIOCOMMERCE, BIOTECHNO, CANCERLIT, CAPLUS, CBNB, CEN, CIN, CONFSCI, DISSABS, DGENE, DIOGENES, DRUGB, DRUGMONOG2, IMSDRUGNEWS, DRUGU, IMSRESEARCH, EMBAL, ESBIOBASE, ...' ENTERED AT 13:55:53 ON 14 JUN 2004

L9 106 SEA L8/BI

L10 143 SEA L7 OR L9

L11 132 DUP REM L10 (11 DUPLICATES REMOVED)

D 1-



```
Chain nodes :
    7 8 9 10 11 13 21
ring nodes :
    1 2 3 4 5 6 12 14 15 16 17 18 19 20
chain bonds :
    5-7 6-8 8-9 9-10 9-11 9-12 11-16 12-13 17-21
ring bonds :
    1-2 1-6 2-3 3-4 4-5 5-6 12-14 12-15 14-15 16-17 16-20 17-18 18-19 19-20
exact/norm bonds :
    9-10 12-14 12-15 14-15 16-17 16-20 17-18 17-21 18-19 19-20
exact bonds :
    5-7 6-8 8-9 9-11 9-12 11-16 12-13
normalized bonds :
    1-2 1-6 2-3 3-4 4-5 5-6
```

Match level:
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:CLASS 9:CLASS 10:CLASS 11:CLASS 12:Atom 13:CLASS 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom 20:Atom 21:CLASS

=> d 1-YOU HAVE REQUESTED DATA FROM 95 ANSWERS - CONTINUE? Y/(N):Y

ANSWER 1 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

RN635301-95-0 REGISTRY

Benzeneacetic acid, α -(methoxyimino)-2-[[[(E)-[1-[3-CN(trifluoromethyl)phenyl]ethylidene]amino]oxy]methyl]-, methyl ester, (αE) -, mixt. with 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2hydroxypropyl]-1,2-dihydro-3H-1,2,4-triazole-3-thione and (1E) - [2-[[6-(2-chlorophenoxy)-5-fluoro-4-pyrimidinyl]oxy]phenyl] (5,6dihydro-1,4,2-dioxazin-3-yl)methanone O-methyloxime (9CI) (CA INDEX NAME)

FS

MF C21 H16 Cl F N4 O5 . C20 H19 F3 N2 O4 . C14 H15 Cl2 N3 O S

CI MXS

SR CA

LCSTN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM

CRN 361377-29-9 CMF C21 H16 Cl F N4 O5

Double bond geometry as shown.

CM

CRN 178928-70-6 CMF C14 H15 Cl2 N3 O S

$$\begin{array}{c|c} & & & \\ & & & \\ N & & & \\ N &$$

CRN 141517-21-7 CMF C20 H19 F3 N2 O4

Double bond geometry as shown.

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 2 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

RN 635288-02-7 REGISTRY

CN Benzeneacetic acid, α -(methoxyimino)-2-[[[(E)-[1-[3-(trifluoromethyl)phenyl]ethylidene]amino]oxy]methyl]-, methyl ester, (αE) -, mixt. with 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-3H-1,2,4-triazole-3-thione and α -[2-(4-chlorophenyl)ethyl]- α -(1,1-dimethylethyl)-1H-1,2,4-triazole-1-ethanol (9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C20 H19 F3 N2 O4 . C16 H22 Cl N3 O . C14 H15 Cl2 N3 O S

CI MXS

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM 1

CRN 178928-70-6

CMF C14 H15 Cl2 N3 O S

$$\begin{array}{c|c} & & & \\ & & & \\ N & & & \\ N & & CH_2 - C \\ N & & & \\ N & & & HO \end{array}$$

CM 2

CRN 141517-21-7 CMF C20 H19 F3 N2 O4

Double bond geometry as shown.

CRN 107534-96-3 CMF C16 H22 Cl N3 O

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 3 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

RN 616235-61-1 REGISTRY

CN 9,10-Anthracenedione, mixt. with 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-3H-1,2,4-triazole-3-thione (9CI) (CA INDEX NAME)

MF C14 H15 Cl2 N3 O S . C14 H8 O2

CI MXS

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM 1

CRN 178928-70-6

CMF C14 H15 C12 N3 O S

CRN 84-65-1 CMF C14 H8 O2

1 REFERENCES IN FILE CA (1907 TO DATE) 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

ANSWER 4 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN L4

616235-60-0 REGISTRY RN

CN1H-Imidazole-1-carboxamide, N-propyl-N-[2-(2,4,6-trichlorophenoxy)ethyl]-, mixt. with 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-3H-1,2,4-triazole-3-thione (9CI) (CA INDEX NAME)

C15 H16 Cl3 N3 O2 . C14 H15 Cl2 N3 O S MF

CI MXS

SR CA

STN Files: CA, CAPLUS LC

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM 1

CRN 178928-70-6

CMF C14 H15 Cl2 N3 O S

$$\begin{array}{c|c} & & & \\ & & & \\ & & & \\ N & &$$

2 CM

CRN 67747-09-5

CMF C15 H16 Cl3 N3 O2

L4 ANSWER 5 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

RN 616235-59-7 REGISTRY

CN 3H-1,2,4-Triazole-3-thione, 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-, mixt. with pentachloronitrobenzene (9CI) (CA INDEX NAME)

MF C14 H15 Cl2 N3 O S . C6 Cl5 N O2

CI MXS

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM 1

CRN 178928-70-6

CMF C14 H15 Cl2 N3 O S

$$\begin{array}{c|c} & & & \\ & & & \\ N & & \\ N & & \\ N & & \\ H & & \\ S & & \\ \end{array}$$

CM 2

CRN 82-68-8 CMF C6 C15 N O2

$$\begin{array}{c|c} & \text{Cl} & \\ \text{Cl} & \\ \text{Cl} & \\ \text{Cl} & \end{array}$$

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 6 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

RN 616235-58-6 REGISTRY

CN 3H-1,2,4-Triazole-3-thione, 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-, mixt. with 2-(4-thiazolyl)-1H-benzimidazole (9CI) (CA INDEX NAME)

MF C14 H15 Cl2 N3 O S . C10 H7 N3 S

CI MXS

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM 1

CRN 178928-70-6

CMF C14 H15 Cl2 N3 O S

$$\begin{array}{c|c} & & & \\ & & & \\ & & & \\ N &$$

CM 2

CRN 148-79-8 CMF C10 H7 N3 S

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 7 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

RN 616235-57-5 REGISTRY

CN Alanine, N-(2,6-dimethylphenyl)-N-(methoxyacetyl)-, methyl ester, mixt.

with 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2dihydro-3H-1,2,4-triazole-3-thione (9CI) (CA INDEX NAME) MF C15 H21 N O4 . C14 H15 C12 N3 O S CI SR CA LC STN Files: CA, CAPLUS DT.CA CAplus document type: Patent RL.P Roles from patents: BIOL (Biological study); USES (Uses) CM 1 CRN 178928-70-6 CMF C14 H15 Cl2 N3 O S

CM 2

CRN 57837-19-1 CMF C15 H21 N O4

1

1 REFERENCES IN FILE CA (1907 TO DATE) 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4ANSWER 8 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN RN 616235-56-4 REGISTRY CNCarbamic acid, 1H-benzimidazol-2-yl-, methyl ester, mixt. with 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-3H-1,2,4-triazole-3-thione (9CI) (CA INDEX NAME) MFC14 H15 Cl2 N3 O S . C9 H9 N3 O2 CI MXS CA STN Files: CA, CAPLUS DT.CA CAplus document type: Patent RL.P Roles from patents: BIOL (Biological study); USES (Uses) CM

CRN 178928-70-6 CMF C14 H15 Cl2 N3 O S

CM 2

CRN 10605-21-7 CMF C9 H9 N3 O2

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 9 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

RN 616235-55-3 REGISTRY

CN Carbamic acid, [1,2-phenylenebis(iminocarbonothioyl)]bis-, dimethyl ester, mixt. with 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-3H-1,2,4-triazole-3-thione (9CI) (CA INDEX NAME)

MF C14 H15 Cl2 N3 O S . C12 H14 N4 O4 S2

CI MXS

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM 1

CRN 178928-70-6

CMF C14 H15 Cl2 N3 O S

CRN 23564-05-8 CMF C12 H14 N4 O4 S2

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 10 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

RN 616235-54-2 REGISTRY

CN Propanamide, N-(1-cyano-1,2-dimethylpropyl)-2-(2,4-dichlorophenoxy)-, mixt. with 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-3H-1,2,4-triazole-3-thione (9CI) (CA INDEX NAME)

MF C15 H18 Cl2 N2 O2 . C14 H15 Cl2 N3 O S

CI MXS

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM 1

CRN 178928-70-6 CMF C14 H15 Cl2 N3 O S

CM 2

CRN 115852-48-7

CMF C15 H18 Cl2 N2 O2

L4 ANSWER 11 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

RN 616235-53-1 REGISTRY

CN 1H-Imidazole-1-sulfonamide, 4-chloro-2-cyano-N,N-dimethyl-5-(4-methylphenyl)-, mixt. with 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-3H-1,2,4-triazole-3-thione (9CI) (CA INDEX NAME)

MF C14 H15 Cl2 N3 O S . C13 H13 Cl N4 O2 S

CI MXS

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM 1

CRN 178928-70-6 CMF C14 H15 Cl2 N3 O S

$$\begin{array}{c|c} & & & \\ & & & \\ N & & CH_2 \\ N & & HO \end{array}$$

CM 2

CRN 120116-88-3 CMF C13 H13 Cl N4 O2 S

$$\begin{array}{c|c} O & \\ \hline O & S - NMe_2 \\ \hline NC & N \\ \hline N^- & \\ \hline C1 & Me \end{array}$$

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 12 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

RN 616235-52-0 REGISTRY

CN Piperidinium, 1,1-dimethyl-, chloride, mixt. with 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-3H-1,2,4-triazole-3-thione (9CI) (CA INDEX NAME)

MF C14 H15 Cl2 N3 O S . C7 H16 N . C1

CI MXS

SR CA

```
LC STN Files: CA, CAPLUS
DT.CA CAplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM 1

CRN 178928-70-6
CMF C14 H15 C12 N3 O S
```

CRN 24307-26-4 (15302-91-7) CMF C7 H16 N . Cl



● Cl -

```
1 REFERENCES IN FILE CA (1907 TO DATE)
               1 REFERENCES IN FILE CAPLUS (1907 TO DATE)
    ANSWER 13 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN
L4
RN
     616235-51-9 REGISTRY
     Thioperoxydicarbonic diamide ([(H2N)C(S)]2S2), tetramethyl-, mixt. with
CN
     2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-1,2-dihydro-2-hydroxypropyl]-
     3H-1,2,4-triazole-3-thione (9CI) (CA INDEX NAME)
MF
     C14 H15 Cl2 N3 O S . C6 H12 N2 S4
CI
    MXS
SR
    CA
     STN Files: CA, CAPLUS
DT.CA CAplus document type: Patent
      Roles from patents: BIOL (Biological study); USES (Uses)
    CM
         1
    CRN 178928-70-6
    CMF C14 H15 Cl2 N3 O S
```

CRN 137-26-8 CMF C6 H12 N2 S4

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 14 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

RN 616235-50-8 REGISTRY

CN Naphtho[2,3-b]-1,4-dithiin-2,3-dicarbonitrile, 5,10-dihydro-5,10-dioxo-, mixt. with 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-3H-1,2,4-triazole-3-thione (9CI) (CA INDEX NAME)

MF C14 H15 C12 N3 O S . C14 H4 N2 O2 S2

CI MXS

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM 1

CRN 178928-70-6 CMF C14 H15 Cl2 N3 O S

$$\begin{array}{c|c} & & & \\ & & & \\ N & & & \\ N & & & \\ N & & & \\ H & & \\ S & & \\ \end{array}$$

CM 2

CRN 3347-22-6

CMF C14 H4 N2 O2 S2

2 REFERENCES IN FILE CA (1907 TO DATE)

2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 15 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

RN 616235-49-5 REGISTRY

CN Benzeneacetamide, N-[[(cyclopropylmethoxy)amino][6-(difluoromethoxy)-2,3-difluorophenyl]methylene]-, mixt. with 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-3H-1,2,4-triazole-3-thione (9CI) (CA INDEX NAME)

MF C20 H18 F4 N2 O3 . C14 H15 Cl2 N3 O S

CI MXS

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM 1

CRN 221201-92-9 CMF C20 H18 F4 N2 O3

CM 2

CRN 178928-70-6

CMF C14 H15 Cl2 N3 O S

$$\begin{array}{c|c} & & & \\ & & & \\ N & & & \\ N &$$

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 16 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

RN 616235-48-4 REGISTRY

CN Benzeneacetamide, N-[[(cyclopropylmethoxy)amino][2,3-difluoro-6-(trifluoromethyl)phenyl]methylene]-, mixt. with 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-3H-1,2,4-triazole-3-thione (9CI) (CA INDEX NAME)

MF C20 H17 F5 N2 O2 . C14 H15 C12 N3 O S

CI MXS

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM 1

CRN 180409-60-3 CMF C20 H17 F5 N2 O2

CM 2

CRN 178928-70-6 CMF C14 H15 Cl2 N3 O S

- 1 REFERENCES IN FILE CA (1907 TO DATE)
- 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)
- L4 ANSWER 17 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN
- RN 616235-47-3 REGISTRY
- CN 3H-1,2,4-Triazole-3-thione, 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-, mixt. with (3-bromo-6-methoxy-2-methylphenyl)(2,3,4-trimethoxy-6-methylphenyl)methanone (9CI) (CA INDEX NAME)
- MF C19 H21 Br O5 . C14 H15 Cl2 N3 O S
- CI MXS
- SR CA

LC STN Files: CA, CAPLUS
DT.CA CAplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM 1

CRN 220899-03-6
CMF C19 H21 Br 05

CM 2

CRN 178928-70-6 CMF C14 H15 Cl2 N3 O S

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 18 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

RN 616235-46-2 REGISTRY

CN 1,4-Oxathiin-3-carboxamide, 5,6-dihydro-2-methyl-N-phenyl-, mixt. with 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-3H-1,2,4-triazole-3-thione (9CI) (CA INDEX NAME)

OTHER NAMES:

CN Prothioconazole-carboxin mixt.

MF C14 H15 Cl2 N3 O S . C12 H13 N O2 S

CI MXS

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM 1

CRN 178928-70-6

CMF C14 H15 Cl2 N3 O S

$$\begin{array}{c|c} & & & \\ & & & \\ N & & \\ N$$

CRN 5234-68-4 CMF C12 H13 N O2 S

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 19 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

RN 616235-45-1 REGISTRY

CN 3-Pyridinecarboxamide, 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-, mixt. with 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-3H-1,2,4-triazole-3-thione (9CI) (CA INDEX NAME)

MF C18 H12 Cl2 N2 O . C14 H15 Cl2 N3 O S

CI MXS

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM 1

CRN 188425-85-6 CMF C18 H12 Cl2 N2 O

CM 2

CRN 178928-70-6

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 20 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

RN 599175-85-6 REGISTRY

CN 4H-1,3,5-Oxadiazin-4-imine, 3-[(2-chloro-5-thiazolyl)methyl]tetrahydro-5-methyl-N-nitro-, mixt. with 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-3H-1,2,4-triazole-3-thione (9CI) (CA INDEX NAME)

MF C14 H15 Cl2 N3 O S . C8 H10 Cl N5 O3 S

CI MXS

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM 1

CRN 178928-70-6 CMF C14 H15 Cl2 N3 O S

$$\begin{array}{c} \text{C1} \\ \text{CH}_2 \\ \text{N} \\ \text{CH}_2 \\ \text{C} \\ \text{HO} \\ \text{C1} \\ \end{array}$$

CM 2

CRN 153719-23-4

CMF C8 H10 Cl N5 O3 S

L4 ANSWER 21 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

RN 599175-84-5 REGISTRY

CN Phosphorothioic acid, 0,0-diethyl 0-(3,5,6-trichloro-2-pyridinyl) ester, mixt. with 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-3H-1,2,4-triazole-3-thione (9CI) (CA INDEX NAME)

MF C14 H15 Cl2 N3 O S . C9 H11 Cl3 N O3 P S

CI MXS

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM 1

CRN 178928-70-6 CMF C14 H15 Cl2 N3 O S

CM 2

CRN 2921-88-2

CMF C9 H11 Cl3 N O3 P S

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 22 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN RN 599175-83-4 REGISTRY

```
1H-Pyrazole-3-carbonitrile, 5-amino-1-[2,6-dichloro-4-
     (trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulfinyl]-, mixt. with
     2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-
     3H-1,2,4-triazole-3-thione (9CI) (CA INDEX NAME)
OTHER NAMES:
     Prothioconazole-fipronil mixt.
MF
     C14 H15 Cl2 N3 O S . C12 H4 Cl2 F6 N4 O S
CI
SR
     CA
     STN Files:
LC
                  CA, CAPLUS
DT.CA CAplus document type: Patent
      Roles from patents: BIOL (Biological study); USES (Uses)
     CM
          1
         178928-70-6
```

CRN CMF

CM2

CRN 120068-37-3 CMF C12 H4 Cl2 F6 N4 O S

C14 H15 Cl2 N3 O S

1 REFERENCES IN FILE CAPLUS (1907 TO DATE) ANSWER 23 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

1 REFERENCES IN FILE CA (1907 TO DATE)

RN599175-82-3 REGISTRY CN Phosphorothioic acid, 0,0-diethyl 0-(3,5,6-trichloro-2-pyridinyl) ester, mixt. with 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile, 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-3H-1,2,4-triazole-3-thione and 3-[(2-chloro-5-thiazoly1)methyl]tetrahydro-5-methyl-N-nitro-4H-1,3,5-oxadiazin-4-imine (9CI) (CA INDEX NAME) C14 H_{15} Cl2 N3 O S . C12 H4 Cl2 F6 N4 O S . C9 H11 Cl3 N O3 P S . C8 H10 ΜF Cl N5 03 S

CI MXS

L4

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM 1

CRN 178928-70-6 CMF C14 H15 Cl2 N3 O S

CM 2

CRN 153719-23-4 CMF C8 H10 Cl N5 O3 S

Me
$$N-NO_2$$
 CH_2 S $C1$

CM 3

CRN 120068-37-3 CMF C12 H4 C12 F6

CMF C12 H4 Cl2 F6 N4 O S

CM 4

CRN 2921-88-2

CMF C9 H11 Cl3 N O3 P S

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 24 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

RN 596104-11-9 REGISTRY

CN 3H-1,2,4-Triazole-3-thione, 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-, mixt. with 5-[(4-chlorophenyl)methylene]-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol (9CI) (CA INDEX NAME)

MF C17 H20 Cl N3 O . C14 H15 Cl2 N3 O S

CI MXS

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM 1

CRN 178928-70-6 CMF C14 H15 Cl2 N3 O S

CM 2

CRN 131983-72-7 CMF C17 H20 C1 N3 O

L4 ANSWER 25 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

RN 596104-10-8 REGISTRY

CN 3H-1,2,4-Triazole-3-thione, 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-, mixt. with 2-[(4-chlorophenyl)methyl]-5-(1-methylethyl)-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol (9CI) (CA INDEX NAME)

MF C18 H24 Cl N3 O . C14 H15 Cl2 N3 O S

CI MXS

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM 1

CRN 178928-70-6 CMF C14 H15 Cl2 N3 O S

CM 2

CRN 125225-28-7 CMF C18 H24 Cl N3 O

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 26 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

RN 596104-09-5 REGISTRY

CN 3H-1,2,4-Triazole-3-thione, $2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-, mixt. with <math>\alpha-(4-fluorophenyl)-\alpha-[(trimethylsilyl)methyl]-1H-1,2,4-triazole-1-ethanol (9CI) (CA INDEX NAME)$

MF C14 H20 F N3 O Si . C14 H15 C12 N3 O S

CI MXS
SR CA
LC STN Files: CA, CAPLUS
DT.CA CAplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM 1

CRN 178928-70-6
CMF C14 H15 C12 N3 O S

$$\begin{array}{c|c} & & & \\ & & & \\ N & & & \\ N &$$

CM 2

CRN 149508-90-7 CMF C14 H20 F N3 O Si

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 27 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

RN 596104-08-4 REGISTRY

CN 1H-1,2,4-Triazole-1-propanenitrile, α-butyl-α-(4-chlorophenyl), mixt. with 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2hydroxypropyl]-1,2-dihydro-3H-1,2,4-triazole-3-thione (9CI) (CA INDEX NAME)

MF C15 H17 Cl N4 . C14 H15 Cl2 N3 O S

CI MXS

SR CA

LC STN Files: CA, CAPLUS

DT.CA Caplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM 1

CRN 178928-70-6

CMF C14 H15 Cl2 N3 O S

CRN 88671-89-0 CMF C15 H17 Cl N4

$$\begin{array}{c|c} & n-Bu & \text{Cl} \\ & N & -CH_2-C & \\ & CN & \end{array}$$

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 28 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

RN 596104-07-3 REGISTRY

CN 1H-1,2,4-Triazole-1-propanenitrile, α -[2-(4-chlorophenyl)ethyl]- α -phenyl-, mixt. with 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-3H-1,2,4-triazole-3-thione (9CI) (CA INDEX NAME)

MF C19 H17 Cl N4 . C14 H15 Cl2 N3 O S

CI MXS

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM 1

CRN 178928-70-6

CMF C14 H15 Cl2 N3 O S

$$\begin{array}{c|c} & & & \\ & & & \\ N & & & \\ N & & & \\ N & & & \\ H & & \\ S & & \\ \end{array}$$

CRN 114369-43-6 CMF C19 H17 Cl N4

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 29 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

RN 596104-06-2 REGISTRY

CN 3H-1,2,4-Triazole-3-thione, 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-, mixt. with 1-[2-(2,4-dichlorophenyl)-3-(1,1,2,2-tetrafluoroethoxy)propyl]-1H-1,2,4-triazole (9CI) (CA INDEX NAME)

MF C14 H15 Cl2 N3 O S . C13 H11 Cl2 F4 N3 O

CI MXS

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM 1

CRN 178928-70-6 CMF C14 H15 Cl2 N3 O S

CM 2

CRN 112281-77-3

CMF C13 H11 Cl2 F4 N3 O

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 30 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

RN 596104-05-1 REGISTRY

CN 3H-1,2,4-Triazole-3-thione, 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-, mixt. with 1-[[bis(4-

fluorophenyl)methylsilyl]methyl]-1H-1,2,4-triazole (9CI) (CA INDEX NAME)

MF C16 H15 F2 N3 Si . C14 H15 C12 N3 O S

CI MXS

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM 1

CRN 178928-70-6 CMF C14 H15 Cl2 N3 O S

CM 2

CRN 85509-19-9

CMF C16 H15 F2 N3 Si

L4 ANSWER 31 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

RN 596104-04-0 REGISTRY

CN 3H-1,2,4-Triazole-3-thione, 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-, mixt. with α -(4-chlorophenyl)- α - (1-cyclopropylethyl)-1H-1,2,4-triazole-1-ethanol (9CI) (CA INDEX NAME)

MF C15 H18 Cl N3 O . C14 H15 Cl2 N3 O S

CI MXS

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM 1

CRN 178928-70-6 CMF C14 H15 Cl2 N3 O S

CM 2

CRN 94361-06-5 CMF C15 H18 Cl N3 O

L4 ANSWER 32 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

RN 596104-03-9 REGISTRY

CN 3H-1,2,4-Triazole-3-thione, 2-[2-(1-chlorocyclopropy1)-3-(2-chloropheny1)-2-hydroxypropy1]-1,2-dihydro-, mixt. with α -buty1- α -(2,4-dichloropheny1)-1H-1,2,4-triazole-1-ethanol (9CI) (CA INDEX NAME)

MF C14 H17 C12 N3 O . C14 H15 C12 N3 O S

CI MXS

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM 1

CRN 178928-70-6

CMF C14 H15 C12 N3 O S

$$\begin{array}{c|c} & & & \\ & & & \\ N & & & \\ N &$$

CM 2

CRN 79983-71-4

CMF C14 H17 C12 N3 O

- 1 REFERENCES IN FILE CA (1907 TO DATE)
- 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 33 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

RN 596104-02-8 REGISTRY

CN 3H-1,2,4-Triazole-3-thione, 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-, mixt. with 1-[[2-[2-chloro-4-(4-chlorophenoxy)phenyl]-4-methyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole (9CI) (CA INDEX NAME)

OTHER NAMES:

CN Prothioconazole-difenoconazole mixt.

MF C19 H17 Cl2 N3 O3 . C14 H15 Cl2 N3 O S

CI MXS

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM 1

CRN 178928-70-6 CMF C14 H15 Cl2 N3 O S

CM 2

CRN 119446-68-3 CMF C19 H17 Cl2 N3 O3

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 34 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

RN 596104-01-7 REGISTRY

CN 3H-1,2,4-Triazole-3-thione, 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-, mixt. with 1-[2-(2,4-dichlorophenyl)pentyl]-1H-1,2,4-triazole (9CI) (CA INDEX NAME)

MF C14 H15 Cl2 N3 O S . C13 H15 Cl2 N3

CI MXS

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM 1

CRN 178928-70-6

CMF C14 H15 Cl2 N3 O S

CRN 66246-88-6 CMF C13 H15 Cl2 N3

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 35 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

RN 596104-00-6 REGISTRY

CN 4(3H)-Quinazolinone, 3-(2,4-dichlorophenyl)-6-fluoro-2-(1H-1,2,4-triazol-1-yl)-, mixt. with 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-3H-1,2,4-triazole-3-thione (9CI) (CA INDEX NAME)

MF C16 H8 Cl2 F N5 O . C14 H15 Cl2 N3 O S

CI MXS

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM 1

CRN 178928-70-6

CMF C14 H15 Cl2 N3 O S

CRN 136426-54-5 C16 H8 Cl2 F N5 O

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4ANSWER 36 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

596103-99-0 REGISTRY RN

CN3H-1,2,4-Triazole-3-thione, 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-3-(2-chloroph2-hydroxypropyl]-1,2-dihydro-, mixt. with 1-[[2-(2,4-dichlorophenyl)-4propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole (9CI) (CA INDEX NAME)

C15 H17 Cl2 N3 O2 . C14 H15 Cl2 N3 O S MF

CI MXS

SR CA

LCSTN Files: CA, CAPLUS

DT.CA Caplus document type: Patent

Roles from patents: BIOL (Biological study); USES (Uses)

CM1

CRN 178928-70-6

CMF C14 H15 Cl2 N3 O S

CM2

CRN 60207-90-1

CMF C15 H17 C12 N3 O2

$$C1$$
 $n-Pr$
 O
 CH_2
 N

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 37 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

RN 596103-98-9 REGISTRY

CN 3H-1,2,4-Triazole-3-thione, 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-, mixt. with 5-[(4-chlorophenyl)methyl]-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol (9CI) (CA INDEX NAME)

MF C17 H22 Cl N3 O . C14 H15 Cl2 N3 O S

CI MXS

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM 1

CRN 178928-70-6 CMF C14 H15 Cl2 N3 O S

$$\begin{array}{c|c} & & & \\ & & & \\ N & & & \\ N &$$

CM 2

CRN 125116-23-6 CMF C17 H22 Cl N3 O

L4 ANSWER 38 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

RN 596103-97-8 REGISTRY

CN 3H-1,2,4-Triazole-3-thione, 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-, mixt. with rel-1-[[(2R,3S)-3-(2-chlorophenyl)-2-(4-fluorophenyl)oxiranyl]methyl]-1H-1,2,4-triazole (9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C17 H13 Cl F N3 O . C14 H15 Cl2 N3 O S

CI MXS

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM 1

CRN 178928-70-6

CMF C14 H15 Cl2 N3 O S

$$\begin{array}{c|c} & & & \\ & & & \\ N & & \\ N$$

CM 2

CRN 133855-98-8

CMF C17 H13 C1 F N3 O

Relative stereochemistry.

ANSWER 39 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN 596096-82-1 REGISTRY L4

RN

3H-1,2,4-Triazole-3-thione, 2-[2-(1-chlorocyclopropy1)-3-(2-chloropheny1)-CN2-hydroxypropyl]-1,2-dihydro-, mixt. with 1-[3-[4-(1,1dimethylethyl)phenyl]-2-methylpropyl]piperidine (9CI) (CA INDEX NAME)

C19 H31 N . C14 H15 Cl2 N3 O S MF

CI MXS

SR CA

CA, CAPLUS LCSTN Files:

DT.CA CAplus document type: Patent

Roles from patents: BIOL (Biological study); USES (Uses)

CM1.

178928-70-6 CRN

CMF C14 H15 Cl2 N3 O S

$$\begin{array}{c|c} & & & \\ & & & \\ N & & & \\ N & & CH_2 & C \\ N & & & \\ N & & \\$$

CM

CRN 67306-00-7 CMF C19 H31 N

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

```
ANSWER 40 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN
T.4
RN
     596096-80-9 REGISTRY
CN
     3H-1,2,4-Triazole-3-thione, 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-
     2-hydroxypropyl]-1,2-dihydro-, mixt. with tridemorph (9CI) (CA INDEX
     C14 H15 Cl2 N3 O S . Unspecified
MF
CI
     MXS
SR
     CA
                  CA, CAPLUS
LC
     STN Files:
DT.CA CAplus document type:
                                Patent
      Roles from patents: BIOL (Biological study); USES (Uses)
RL.P
     CM
          1
     CRN 178928-70-6
     CMF C14 H15 Cl2 N3 O S
                 C1
              НО
     CM
          2
     CRN
          81412-43-3
          Unspecified
     CMF
     CCI MAN
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
                1 REFERENCES IN FILE CA (1907 TO DATE)
                1 REFERENCES IN FILE CAPLUS (1907 TO DATE)
     ANSWER 41 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN
L4
     596096-79-6 REGISTRY
RN
     3H-1,2,4-Triazole-3-thione, 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-
CN
     2-hydroxypropyl]-1, 2-dihydro-, mixt. with rel-(2R,6S)-4-[3-[4-(1,1-1)]-1, 2-dihydro-, mixt. with rel-(2R,6S)-4-[3-[4-(1,1-1)]-1, 2-dihydro-, mixt.
     dimethylethyl)phenyl]-2-methylpropyl]-2,6-dimethylmorpholine (9CI) (CA
     INDEX NAME)
     STEREOSEARCH
FS
     C20 H33 N O . C14 H15 Cl2 N3 O S
MF
CI
     MXS
SR
     CA
                   CA, CAPLUS
     STN Files:
DT.CA CAplus document type: Patent
       Roles from patents: BIOL (Biological study); USES (Uses)
RL.P
     CM
          1
     CRN 178928-70-6
     CMF C14 H15 Cl2 N3 O S
```

CRN 67564-91-4 CMF C20 H33 N O

Relative stereochemistry.

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 42 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

RN 596095-89-5 REGISTRY

CN Benzeneacetamide, α-(methoxyimino)-2-[5-(methoxyimino)-4,6-dimethyl-2,8-dioxa-3,7-diazanona-3,6-dien-1-yl]-N-methyl-, mixt. with 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-3H-1,2,4-triazole-3-thione (9CI) (CA INDEX NAME)

MF C18 H25 N5 O5 . C14 H15 Cl2 N3 O S

CI MXS

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM 1

CRN 189892-69-1 CMF C18 H25 N5 O5

CRN 178928-70-6 CMF C14 H15 Cl2 N3 O S

$$\begin{array}{c} \text{Cl} \\ \text{CH}_2 \\ \text{N} \\ \text{N} \\ \text{CH}_2 - \text{C} \\ \text{HO} \\ \text{Cl} \\ \\ \text{S} \end{array}$$

1 REFERENCES IN FILE CA (1907 TO DATE) 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

ANSWER 43 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN L4

RN596095-88-4 REGISTRY

Benzeneacetamide, 2-[(2,5-dimethylphenoxy)methyl]- α -(methoxyimino)-N-ÇN methyl-, (αE) -, mixt. with 2-[2-(1-chlorocyclopropyl)-3-(2chlorophenyl) -2-hydroxypropyl] -1,2-dihydro-3H-1,2,4-triazole-3-thione (9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C19 H22 N2 O3 . C14 H15 Cl2 N3 O S

CI MXS

SR CA

STN Files: LC CA, CAPLUS

DT.CA CAplus document type: Patent

Roles from patents: BIOL (Biological study); USES (Uses)

CM1 ·

CRN 178928-70-6

CMF C14 H15 Cl2 N3 O S

$$\begin{array}{c|c} & & & \\ & & & \\ & & & \\ N & &$$

CM2

CRN 149961-52-4 CMF C19 H22 N2 O3

Double bond geometry as shown.

L4 ANSWER 44 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

RN 596095-87-3 REGISTRY

CN Carbamic acid, [2-[[[1-(4-chlorophenyl)-1H-pyrazol-3-yl]oxy]methyl]phenyl]methoxy-, methyl ester, mixt. with 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-3H-1,2,4-triazole-3-thione (9CI) (CA INDEX NAME)

MF C19 H18 Cl N3 O4 . C14 H15 Cl2 N3 O S

CI MXS

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); USES (Uses)

CM 1

CRN 178928-70-6

CMF C14 H15 C12 N3 O S

$$\begin{array}{c|c} & & & \\ & & & \\ N & &$$

CM 2

CRN 175013-18-0

CMF C19 H18 Cl N3 O4

$$\begin{array}{c|c} & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\ & &$$

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

ANSWER 45 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN L4RN596095-86-2 REGISTRY Benzeneacetic acid, α-(methoxymethylene)-2-[[[6-(trifluoromethyl)-2-CNpyridinyl]oxy]methyl]-, methyl ester, (αE) -, mixt. with 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-3H-1,2,4-triazole-3-thione (9CI) (CA INDEX NAME) FS STEREOSEARCH C18 H16 F3 N O4 . C14 H15 Cl2 N3 O S MF CI MXS SR CA STN Files: CA, CAPLUS LCDT.CA CAplus document type: Patent Roles from patents: BIOL (Biological study); USES (Uses) RL.P

CM 1

CRN 178928-70-6 CMF C14 H15 Cl2 N3 O S

CM 2

CRN 117428-22-5 CMF C18 H16 F3 N O4

Double bond geometry as shown.

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 46 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN

RN 596095-85-1 REGISTRY

EN Benzeneacetic acid, α-(methoxyimino)-2-[[[(E)-[1-[3-(trifluoromethyl)phenyl]ethylidene]amino]oxy]methyl]-, methyl ester, (αΕ)-, mixt. with 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2hydroxypropyl]-1,2-dihydro-3H-1,2,4-triazole-3-thione (9CI) (CA INDEX

```
NAME)
FS
     STEREOSEARCH
MF
     \mbox{C20 H19 F3 N2 O4} . \mbox{C14 H15 Cl2 N3 O S}
CI
     MXS
SR
     CA
LC
     STN Files:
                   CA, CAPLUS
DT.CA CAplus document type: Patent
       Roles from patents: BIOL (Biological study); USES (Uses)
     CM
          1
     CRN 178928-70-6
```

CRN 141517-21-7 CMF C20 H19 F3 N2 O4

CMF C14 H15 Cl2 N3 O S

Double bond geometry as shown.

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

ANSWER 47 OF 95 REGISTRY COPYRIGHT 2004 ACS on STN L4RN552300-14-8 REGISTRY 3H-1,2,4-Triazole-3-thione, 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-CN2-hydroxypropyl]-1,2-dihydro-, mixt. with (1E)-[2-[[6-(2-chlorophenoxy)-5fluoro-4-pyrimidinyl]oxy]phenyl](5,6-dihydro-1,4,2-dioxazin-3-yl)methanone O-methyloxime (9CI) (CA INDEX NAME) OTHER NAMES: CNFluoxastrobin-prothioconazole mixt. FS STEREOSEARCH C21 H16 Cl F N4 O5 . C14 H15 Cl2 N3 O S ΜP

CI MXS SR CA

LC STN Files: CA, CAPLUS